Republic of the Philippines



TARLAC STATE UNIVERSITY

Romulo Boulevard San Vicente Tarlac City 2300 Tel. No. (045) 606-8157/606-8162 Website: www.tsu.edu.ph

REQUEST FOR QUOTATION

RFQ No. 700-2025 Date: December 17, 2025

The TARLAC STATE UNIVERSITY (TSU), through its Bids and Awards Committee (BAC), intends to procure Airconditioning Units with Installation with an Approved Budget for the Contract of Two Hundred Fifty-One Thousand Eight Hundred Pesos (PhP 251,800.00) through Small Value Procurement pursuant to Section 34 of the Implementing Rules and Regulations of Republic Act No. 12009.

Please submit your duly signed quotation addressed to the Bids and Awards Committee (BAC) Chairperson and to the given address below, on or before 1:00PM of 29 December 2025, subject to compliance with the Terms and Conditions provided on this Request for Quotation (RFQ):

WILMARK J. RAMOS

Chairperson, Bids and Awards Committee-Goods and Services Tarlac State University Romulo Boulevard, San Vicente Tarlac City Telephone No. (045) 606-8162 Email: tsucanvassing@gmail.com

Interested supplier/service provider shall also submit a copy of the following documents along with the quotation on or before the above specified deadline for submission of quotation:

Required Documents:

✓ Valid Business/Mayor's Permit PhilGEPS Registration Number

□ Tax Clearance (per RR017-2024 EO398 Series 2005, Updated Tax Clearance

Notarized Omnibus Sworn Statement, if applicable □ Latest Income/Business Tax Return, if applicable

Others,

The Head of the Procuring Entity (HoPE) of the TSU reserves the right to reject any and all quotations, declare a failure of procurement, or not award the contract in accordance with Section 70 of the IRR of RA No. 12009.

For any clarification, you may contact the BAC Secretariat at (045) 606-8157/606-8162 or send email to tsucanvassing@gmail.com.

By the Authority of the Bids and Awards Committee:

D. ABELLAR Head, BAC Secretariat/Procurement Unit

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 1 of 5
		12, 2025	

INSTRUCTIONS:

Note: Failure to follow these instructions will disqualify your entire quotation.

- 1. Do not alter the contents of this form in any way.
- 2. The use of this RFQ is highly encouraged to minimize errors or omissions of the required mandatory provisions.
- 3. The quotation shall contain all the mandatory requirements/provisions including manifestation of the agreement with the Terms and Conditions below.
- 4. In case a prospective supplier/service provider submits a filled-out RFQ with a supporting document (i.e., a price quotation in a different format), both documents shall be considered unless there will be discrepancies. In this case, provisions in the RFQ shall
- 5. All technical specifications must be complied with. Failure to comply with the mandatory requirements shall render the quotation ineligible/disqualified.
- 6. Quotations may be submitted through electronic mail at tsucanvassing@gmail.com.
- 7. Quotations, including documentary requirements, received after the deadline shall not be accepted. For quotations submitted via electronic mail, the date and time of receipt indicated in the e-mail shall be considered.

9

TERMS AND CONDITIONS:

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. The following shall be observed in accomplishing the Quotation/Proposal Form:

Minimum Technical Specifications	Quantity	Offered Technical Specification/Service	Statement of Compliance (Comply or No Comply)
			YES or NO

- 2. Check if compliant with the specifications or not.
- 3. Detailed literature or brochure of the offer, as may be applicable, shall be submitted to support statement of compliance of the technical specifications
- 4. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 5. Price quotation/s must be valid for a period of FORTY-FIVE (45) calendar days from the deadline of submission.
- 6. Price quotation/s, to be denominated in Philippine peso, shall include all taxes, duties, and/or levies payable.
- 7. Quotations exceeding the Approved Budget for the Contract shall be rejected.
- 8. In case of two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the TSU shall adopt and employ "draw lots" as the tie- breaking method to finally determine the single winning provider.
- 9. Award of contract shall be made to the lowest quotation which complies with the technical specifications, requirements and other terms and conditions stated herein.
- 10. The item/s shall be delivered according to the accepted offer of the bidder.
- 11. Item/s delivered shall be inspected on the scheduled date and time of the TSU. The delivery of the item/s shall be acknowledged upon the delivery to confirm compliance with the technical specifications.
- 12. Payment shall be made after delivery and upon the submission of the required supporting documents.
- 13. Liquidated damages equivalent to one-tenth of one percent (0.1%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. TSU may terminate the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies
- 14. The Procuring Entity may cancel or terminate the contract at any time in accordance with the grounds provided under RA No. 12009 and its Implementing Rules and Regulations.
- 15. The RFQ, Purchase Order (PO), and other related documents for the above-stated procurement projects shall be deemed to form part of the contract

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 2 of 5
		12, 2025	

Date:			
Dale			

The Bids and Awards Committee

Tarlac State University San Vicente, Tarlac City

Dear Sir/Madam:

After having carefully read and accepted the Instructions and Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

Minimum Technical Quantity Offered Statemer Compliance with the minimum required specifications sh		ipliano mply o Compl	e r y)				
gr	ounds for disqualification			pecifica	tions	shall	be
Pr	Procurement of Airconditioning Units with Installation						
1	2.0 HP Split Inverter: Cooling Capacity Max (21,200BTU/hr) I Cooling Capacity Rated/Min BTU/hr (17,700/4,100) I COP 3.94 CSPF 6.69 DOE Star Rating 5 Indoor/ Outdoor H:300mm/595mm, W: 1100mm/845mm, D:240mm/300mWeight: 15/34 kg Refrigerant: Type R32, Charge 0.6kg 1 Compressor: Hermetically Sealed Swing Type I Air Flow Rate: H/M/L/Q (CFM) 636/516/424/339 Rated Input Voltage(230V, 60 Hz, Iph) I Power Airflow Dual Flaps, Wide Angle Louvers, Vertical and Horizontal AutoSwing, 3D Airflow, Coanda Effect, Auto Fan Speed, Intelligent Eye, Two-Area Intelligent Eye, Dehumidifier, Fan Operation, Inverter Powerful Operation, Econo Mode, Indoor Unit On/Off Switch, Wireless Remote Controller, Streamer Technology, Deoderizing Enzyme Blue Filter, Saranel Filter, Wipe- Clean Panel, Mold-Proof Operation, Removable Drain Pan, Weekly Timer, 24 Hour On/Off Timer. Count UpDown On/OffTimer. Night Set Mode/Sleep Auto-Restart after Power Failure, Self- Diagnosis with Remote Controller, Anti-Corrosion Treatment of OD HEX fin, Auto Voltage Guard - Super PCB, Wireless, Wireless LAN Adaptor (built-in)PVC cladding/molding for exposed copper tube. Warranty: 1 year on Parts and Labor, 3 years on Printed Circuit Board, 5 years on Compressor I Locally Available Service Center (After Sales Service).	2 units					

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 3 of 5
		12, 2025	

PVC cladding/molding for exposed copper tube.			
1.5HP Split Inverter: Cooling Capacity Max (14,000 BTU/hr) I Cooling Capacity Rated/Min BTU/hr (11,900/4,100) COP 4,431 CSPF 6.681 DOE star Rating 5 Indoor/Outdoor H:300mm/550mm, W:920mm-675mm, D:240mm/284mWeight: 13/27 kg Refrigerant: Type R32, Charge 0.77kg Compressor: Hermetically Sealed Swing Typel Air Flow Rate:H/M/L/Q (CFM) 780/600/455/3571 Rated Input voltage (230V, 60Hz, lph) I Power Airflow Dual Flaps, Wide Angle Louvers, Vertical and Horizontal Auto-Swing, 3D Airflow, Coanda Effect, Auto Fan Speed, Intelligent Eye, Two-Area Intelligent Eye, Dehumidifier, Fan Operation, Inverter Powerful Operation, Econo Mode, Indoor Unit On/Off Switch, Wireless Remote Controller, Streamer Technology, Deoderizing Enzyme Blue Filter, Saranel Filter, Wipe-Clean Panel, Mold-Proof Operation, Removable Drain Pan, Weekly Timer, 24 Hour On/OffTimer, Count Up- Down On/OffTimer, Night Set Mode/Sleep mode Auto-Restart after Power Failure, Self Diagnosis with Remote Controller, Anti-Corrosion Treatment of OD HEX fin, Auto Voltage Guard - Super PCB, Wireless, Wireless LAN Adaptor (built-in) I Warranty: 1 year on Parts and Labor, 3 years on Printed Circuit Board, 5 years on Compressor I Locally Available Service Center (After Sales Service). I with PVC cladding/molding for exposed copper tube.	1 unit		
Warranty Period (for equipment, tools, and devices)			
Delivery Period: (calendar days)			
noth	ing as fol	lows	_

Payment Terms

Payment shall be made through Landbank's LDDAPADA/Bank Transfer Facility, issuance of check or cash on delivery (COD) within thirty (30) calendar days after receipt of sales/service invoice and issuance of Inspection and Acceptance Report/Certificate of Acceptance from the End-User. In case accounts maintained in other banks, bank transfer fees shall be chargeable against the creditor's account.

Interested suppliers shall provide the following Bank Details in the statement of compliance column:

Bank Name:

TSU-PRO-SF-121	D		
150-PKO-SF-121	Revision No.: 00	Effectivity Date: August	Page 4 of 5
		Birectivity Bate. Magast	rage 4 01 5
		12, 2025	

Bank Branch/Address:
Bank Account Name:
Bank Account Number:

FINANCIAL OFFER:

	Procurement of Aircondit Approved Budget 1			n
	Two Hundred Fifty-One Thousand		,	51,800.00)
	Items	Quantity (A)	Offered Price per Unit (B)	Total Offered Price per Item (A x B)
1	2.0 HP Split Inverter	2		
2	1.5HP Split Inverter	1		
			Grand Total	

Total Offered Quotation	In Words:
	In Figures:

	Signature Over Printed Name
	Position/Designation
	Company Registered Name
	Office Telephone/Mobile Nos.
-	Email Address/es
	Date

TSU-PRO-SF-121	Revision No.: 00	Effectivity Date: August	Page 5 of 5
		12, 2025	

Central Portal for Philippine Government Procurement Oppurtunitie

Philippine Government Electronic Procurement System

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number

12697849

Procuring Entity

TARLAC STATE UNIVERSITY

Title

Procurement of Air-Conditioning Units with Installation

Area of Delivery

Solicitation Number:	700-2025	Status	Pending
Trade Agreement:	Implementing Rules and Regulations		
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification:	Goods	Bid Supplements	0
Category:	Office Equipment		
Approved Budget for the Contract:	PHP 251,800.00	Document Request List	0
Delivery Period:	30 Day/s		
Client Agency:			
		Date Published	18/12/2025
Contact Person:	Tutchie Panlilio Clerk		
	TSU, Romulo Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac	Last Updated / Time	17/12/2025 13:38 PM
	Philippines 2300 63-045-6068110 Ext.157	Closing Date / Time	29/12/2025 13:00 PM

Description

1. 2 unit of 2.0 HP Split Inverter: Cooling Capacity Max (21,200BTU/hr) I Cooling Capacity Rated/Min BTU/hr (17,700/4,100) I COP 3.94 | CSPF 6.69 | DOE Star Rating 5 | Indoor/ Outdoor H:300mm/595mm, W: 1100mm/845mm,

D:240mm/300mWeight: 15/34 kg |

tsucanvassing@gmail.com

Refrigerant: Type R32, Charge 0.6kg 1

Compressor: Hermetically Sealed Swing Type I Air Flow Rate :H/M/L/Q (CFM) 636/516/424/339 | Rated Input Voltage(230V, 60 Hz, Iph) I Power Airflow Dual Flaps, Wide Angle Louvers, Vertical and Horizontal AutoSwing, 3D Airflow, Coanda Effect, Auto Fan Speed,

Intelligent Eye, Two-Area Intelligent Eye, Dehumidifier, Fan Operation, Inverter Powerful Operation, Econo Mode, Indoor Unit On/Off Switch, Wireless Remote Controller, Streamer Technology,

Deoderizing Enzyme Blue Filter, Saranel Filter, Wipe- Clean Panel, Mold-Proof Operation, Removable Drain Pan,

Weekly Timer, 24 Hour On/Off Timer. Count UpDown On/OffTimer. Night Set Mode/Sleep

Auto-Restart after Power Failure, Self-Diagnosis with

Remote Controller, Anti-Corrosion Treatment of OD HEX fin, Auto Voltage Guard - Super PCB, Wireless, Wireless LAN Adaptor (built-in)PVC cladding/molding for exposed copper tube. Warranty: 1 year on Parts and Labor, 3

years on Printed Circuit Board, 5 years on

Compressor I Locally Available Service Center (After Sales Service).

PVC cladding/molding for exposed copper tube.

2. 1 unit of 1.5HP Split Inverter: Cooling Capacity Max (14,000 BTU/hr) I Cooling Capacity Rated/Min BTU/hr (11,900/4,100) | COP 4,431 CSPF 6.681 DOE star Rating 5 | Indoor/Outdoor H:300mm/550mm, W:920mm-675mm, D:240mm/284mWeight: 13/27 kg |

Refrigerant: Type R32,

Charge 0.77kg | Compressor: Hermetically Sealed Swing Typel Air Flow Rate: H/M/L/Q (CFM) 780/600/455/3571 Rated Input voltage (230V, 60Hz, Iph) I Power Airflow Dual Flaps,

Wide Angle Louvers, Vertical and Horizontal Auto-Swing, 3D Airflow, Coanda Effect, Auto Fan Speed, Intelligent Eye, Two-Area Intelligent Eye, Dehumidifier, Fan Operation, Inverter Powerful Operation, Econo Mode, Indoor Unit On/Off Switch, Wireless Remote

Controller, Streamer Technology, Deoderizing Enzyme Blue Filter, Saranel Filter, Wipe-Clean Panel, Mold-Proof Operation, Removable Drain Pan, Weekly Timer, 24 Hour On/OffTimer, Count Up-Down On/OffTimer, Night Set Mode/Sleep mode Auto-Restart after Power Failure, Self Diagnosis with

Remote Controller, Anti-Corrosion

Treatment of OD HEX fin, Auto Voltage Guard - Super PCB, Wireless, Wireless LAN Adaptor (built-in) I Warranty: 1 year on Parts and Labor, 3 years on Printed Circuit Board, 5 years on Compressor I Locally Available Service Center (After Sales Service). I with PVC cladding/molding for exposed copper tube.

Line Items

Item No.	Product/Service Name	Description	Quantity	иом	Budget (PHP)
1	2.0 HP Split Inverte	Cooling Capacity Max (21,200BTU/hr) I Cooling Capacity Rated/Min BTU/hr (17,700/4,100) I COP 3.94 CSPF 6.69 DOE Star Rating 5 Indoor/ Outdoor H:300mm/595mm, W: 1100mm/845mm, D:240mm/300mWeight: 15/34 kg Refrigerant: Type R32, Charge 0.6kg 1 C	2	Unit	184,600.00
2	1.5HP Split Inverter	Cooling Capacity Max (14,000 BTU/hr) I Cooling Capacity Rated/Min BTU/hr (11,900/4,100) COP 4,431 CSPF 6.681 DOE star Rating 5 Indoor/Outdoor H:300mm/550mm, W:920mm-675mm, D:240mm/284mWeight: 13/27 kg Refrigerant: Type R32, Charge 0.77kg Com	1	Unit	67,200.00

Other Information

The bidders must download the attached documents in the associated component section.

Note: Award shall be on a "per line item" basis.

Please refer to the Request for Quotation for complete specifications

Tutchie Panlilio Created by 17/12/2025 **Date Created**

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004-2025 DBM Procurement Service. All rights reserved.

Help | Contact Us | Sitemap